

To the Specification:

At page 2, line 7, change "U.S. Patent No. 2,240,300" to "U.K. Patent No. 2,240,300", and "Appel et al" to "Appel et al".


At page 6, line 7 to change "chine" to "machine".

Remarks:

Applicant also encloses an information disclosure statement with cited references. These references were found by applicant.

Applicant considers this application is in condition for allowance, and an early notice is earnestly solicited.

Respectfully submitted,

By: 
Kevin D. McCarthy, Reg. No. 35,278

HODGSON RUSS LLP
One M & T Plaza, Suite 2000
Buffalo, New York 14203-2391
March 18, 2002

Enclosures: substitute paragraphs for pages 1, 2 and 6 of the specification

Serial No. 10/045,567
Page 3



Substitute paragraph for page 1

TITLE OF THE INVENTION

**NICKEL BLOW MOLD AND HOLDER DEFINING HEAT TRANSFER
PASSAGES THEREBETWEEN**

RECEIVED
APR 03 2002
TC 1700

Substitute paragraph for page 2

Other examples of liquid cooled molds produced in the past are shown in U.S. Patent No. 4,072,456 issued to Appel et al. and U.K. Patent No. 2,240,300 issued to Hanna et al. Again, the molds are complex and expensive to produce.

Substitute paragraph for page 6

Once the blow mold unit is assembled, it is attached to a blow molding machine (not shown), several types of which are already known in the art. If the mold holder 12 is equipped for liquid cooling or heating, the appropriate liquid cooling or heating lines (not shown) are then also attached to the mold holder 12 at the liquid heat transfer passage 54.